

Message

**From:** Rogers, Rick [rogers.rick@epa.gov]  
**Sent:** 6/7/2022 8:21:38 PM  
**To:** Feil, Kathryn [Feil.Kathryn@epa.gov]; Melvin, Karen [Melvin.Karen@epa.gov]  
**CC:** DiBattista, Gloria [DiBattista.Gloria@epa.gov]; Lewis, Tanya [Lewis.Tanya@epa.gov]  
**Subject:** RE: AX-22-000-4448  
**Attachments:** AX\_22\_000\_4448 [Ex. 5 Personal Privacy (PP)] Response.docx

See attached.

## Ex. 5 Deliberative Process (DP)

I can work on a reply to the incoming email we received on Sunday and run that by you. [Ex. 5 Deliberative Process (DP)] I'll draft something up for that and then we can talk it over.

Rick



Rick Rogers  
Chief, Water Branch  
Enforcement and Compliance Assurance Division  
US EPA Mid-Atlantic Region  
Phone 215-814-5711  
Cell 215-341-4762  
Email [rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)



---

**From:** Feil, Kathryn <Feil.Kathryn@epa.gov>  
**Sent:** Tuesday, June 07, 2022 3:13 PM  
**To:** Rogers, Rick <rogers.rick@epa.gov>  
**Cc:** DiBattista, Gloria <DiBattista.Gloria@epa.gov>; Lewis, Tanya <Lewis.Tanya@epa.gov>  
**Subject:** FW: AX-22-000-4448  
**Importance:** High

Good Afternoon,

ORA is asking about this control. Do you think it will get to Karen today?



Kathryn Feil  
Program Assistant  
Enforcement and Compliance Assurance Division  
US EPA Mid-Atlantic Region  
Phone 215-814-2126  
Email [feil.kathryn@epa.gov](mailto:feil.kathryn@epa.gov)



---

**From:** R3 ECAD ADMIN <R3\_ECAD\_ADMIN@epa.gov>  
**Sent:** Tuesday, June 7, 2022 3:10 PM

**To:** Feil, Kathryn <[Feil.Kathryn@epa.gov](mailto:Feil.Kathryn@epa.gov)>; DiBattista, Gloria <[DiBattista.Gloria@epa.gov](mailto:DiBattista.Gloria@epa.gov)>

**Subject:** FW: AX-22-000-4448

**Importance:** High

This was in the admin box. Didn't want it to get overlooked since it is due today

Thank you

Tanya Lewis  
Data Support and Prevention Branch  
Enforcement and Compliance Assurance Division  
215-814-5745  
[lewis.tanya@epa.gov](mailto:lewis.tanya@epa.gov)

---

**From:** Gomez, Magdalin <[Gomez.Magdalin@epa.gov](mailto:Gomez.Magdalin@epa.gov)>

**Sent:** Tuesday, June 07, 2022 12:01 PM

**To:** R3 ECAD ADMIN <[R3\\_ECAD\\_ADMIN@epa.gov](mailto:R3_ECAD_ADMIN@epa.gov)>

**Subject:** AX-22-000-4448

**Importance:** High

Hello Kathryn/Gloria,

Just a friendly reminder. The above control is due today.

Thank you

*Maggie*



Magdalin Gomez  
U.S. EPA Mid-Atlantic Region  
Four Penn Center  
1600 John F. Kennedy Boulevard  
Philadelphia, PA 19103-2852  
Phone 215-814-5541  
Email [gomez.magdalin@epa.gov](mailto:gomez.magdalin@epa.gov)

